•	Application No.	Applicant(s)	
Notice of Allowability	10/790,221	IRIGUCHI, CHIHARU	
	Examiner	Art Unit	
	Rodney E. Fuller	2862	
The MAILING DATE of this communication appeal All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI	(OR REMAINS) CLOSED in this ap or other appropriate communicatio IGHTS. This application is subject to	oplication. If not included n will be mailed in due course. THIS	
1. This communication is responsive to <u>applicant's Response</u>	e, dated August 8, 2007.		
2. The allowed claim(s) is/are <u>1-7 and 14-20</u> .			
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE"	e been received. e been received in Application No cuments have been received in this of this communication to file a reply	national stage application from the	
noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subminformal patent application (PTO-152) which give	itted. Note the attached EXAMINER	R'S AMENDMENT or NOTICE OF ation is deficient.	
5. CORRECTED DRAWINGS (as "replacement sheets") mus			
(a) including changes required by the Notice of Draftspers		-948) attached	
1) hereto or 2) to Paper No /Mail Date		· · · · · · · · · · · · · · · · · · ·	
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1			
each sheet. Replacement sheet(s) should be labeled as such in t	he header according to 37 CFR 1.121	(d).	
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF BIOLOGIC	must be submitted. Note the AL MATERIAL.	
		•	
Attachment(s) 1. Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	6. ☐ Interview Summary (PTO-413),	
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 8/15/07		Paper No./Mail Date 7. ⊠ Examiner's Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🖾 Examiner's Stateme	ent of Reasons for Allowance	
	9.	Rodney Fuller Primary Examiner	
		D1/4	

DETAILED ACTION

Page 2

Election/Restrictions

1. Applicant's election with traverse of Species I (claims 1-7) in the reply filed on August 8, 2007 is acknowledged. The traversal is on the ground(s) that (1) "the election of species requirement is improper because the 'species' are not mutually exclusive" and that (2) "the subject matter of claims 1-7 and 14-20 is sufficiently related that a thorough search for the subject matter of one group of claims would encompass a search for the subject matter of the remaining group of claims." The examiner has considered applicant's arguments and has withdrawn the restriction requirement set forth in the Office Action mailed July 11, 2007. Claims 1-7 and 14-20 are pending.

Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In paragraph 0034 of the Specification, replace "Fig. 10 shows" with "Figs. 10A-10F show".

Application/Control Number:

10/790,221 Art Unit: 2862

Allowable Subject Matter

- 3. Claims 1-7 and 14-20 are allowed.
- 4. The following is an examiner's statement of reasons for allowance:

Regarding independent claim 1, the prior art does not teach and/or suggest "a stage having a mount surface to hold an exposure substrate having a photosensitive film with a surface facing a hologram recording surface of a hologram mask" and "a range finding optical system that adjust a distance between the hologram recording surface and the photosensitive film surface" in combination with the other limitations set forth in claim 1.

Regarding independent claim 14, the prior art does not teach and/or suggest "a film thickness measuring optical system that measures the thickness of the photosensitive film" in combination with the other limitations set forth in claim 14.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Rodney E. Fuller whose telephone number is 571-272-2118. The examiner can normally be reached on 8:00am - 4:30pm.

47

Art Unit: 2862

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Assouad can be reached on 571-272-2210. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Rodney E Fuller Primary Examiner Art Unit 2862

October 26, 2007